## How can I protect myself from hepatitis B?

The younger you are when you get hepatitis B, the sicker you can be. So, get three hepatitis B shots. All babies, children, and teens should get the shots.

## Should adults get hepatitis B shots?

Adults should get three hepatitis B shots if they are:

- in contact with blood or body fluids of a person who has hepatitis B
- · men who have sex with men
- having sex with more than one partner or with a partner who shoots drugs
- using needles to shoot drugs
- living in the same house with someone who has hepatitis B
- having chronic liver problems

#### How safe is the vaccine?

The hepatitis B vaccine is one of the safest vaccines there is. It has been used in the United States since 1989.

### Where can I get hepatitis B shots?

Talk to your doctor or nurse to see if you need the shots.




Call your doctor, your local health department or 1-888-76-SHOTS


Michigan Department
of Community Health

The state of the

MDCH is an Equal Opportunity Employer, Services and Programs Provider. 100,000 printed at 3.9 cents each with a total cost of \$3,905.69.

Rev. 9/04





### What is hepatitis B?

Hepatitis B is a disease caused by a virus that infects the liver. It can lead to severe illness, lifelong disease, scarring (cirrhosis) of the liver, liver failure, liver cancer or death.

## How do people get hepatitis B?

Hepatitis B is spread from person to person through blood and other body fluids. You can get it from people who have hepatitis B by:

- coming in contact with their blood or body fluids
- having unsafe sex with them
- sharing toothbrushes, razors, nail clippers, or needles with them
- sharing ear piercing, body piercing or tattooing equipment with them

Some people (25%-30%) who get hepatitis B do not have any of these risk factors. Most people with hepatitis B don't know they have it because they don't show signs of illness.

A pregnant woman who has hepatitis B can give it to her baby at birth. Babies born to these mothers need to get the first shot of vaccine and a shot called HBIG at birth. These babies also need a second shot at one month, a third shot at six months, and a blood test by one year of age.

# People with signs of hepatitis may:

- feel tired all the time
- have mild fever
- have aching muscles or joints
- have stomach pain
- have an upset stomach
- have diarrhea
- throw up a lot
- have jaundice (yellowing of skin or eyes)
- have dark urine
- have light-colored stools
- not feel hungry

You cannot look at someone and tell that he or she has hepatitis B. The only way for people to know if they have hepatitis B is to get a blood test.

## What happens if I get hepatitis B?

People can get over the hepatitis B virus in about six months, or they can have it for the rest of their lives. People with hepatitis B can:

- give it to others
- have no signs of being ill for many years
- feel tired or ill
- suffer from liver problems, such as cirrhosis (scarring) or cancer